



PRODUCT DATASHEET

Rose series

last update 9/6/2017


DETAILS

Product Number	FA15480_ROSE-MRK-BW
Family	Rose
Type	Assembly
Color	white
Diameter	21,6 x 21,6 mm
Height	13 mm
Style	square
Optic Material	PC
Holder Material	
Fastening	tape, pin
Status	production ready
ROHS Compliant	Yes
Date Updated	9/06/2017



OPTICAL PROPERTIES

LED	Viewing Angle	Light Beam	Effi- ciency	cd/lm	Connector
MK-R	sim: 63	Very Wide	sim: 85 %	sim: 0.700	-
XHP50	sim: 63	Very Wide	sim: 84 %	sim: 0.660	-
LUXEON M/MX	68 deg	Very Wide	84 %	0.670	-




INDEX	PART NO	DESCRIPTION	MATERIAL	COLOUR
1	F14946	ROSE-Lt-HLD-MRK	PC	white
2	F14629	ROSE-TAPE	two-sided adhesive foam tape	
3	F15478	ROSE-MRK-BW Lens	PC	clear

Tolerances if not otherwise shown According to DIN ISO 2768-1 Linear measures: Up to 30mm class M, otherwise class C. According to DIN ISO 2768-2 Form and position: class L	LEDiL	Ledil Oy Salorankatu 10 FIN 24240 SALO Finland
---	---------------------	---


THIRD ANGLE PROJECTION:	DRAWING TITLE Datasheet FA15480_ROSE-MRK-BW			
This drawing is the property of LEDiL Oy. It may not be reproduced, copied or communicated without a written agreement with LEDiL Oy.	SIZE	PART NUMBER		
	A4	FA15480		
	SCALE	2:1	WEIGHT	4,1g
			SHEET	1 / 1

Luminaire: Ledil FA15480_ROSE-MRK-BW_(Luxeon_M)_2
Lamps: 1 x Luxeon_M_(LXR8-SW40)_346.747lm@250mA_P=2.78963W_I=0.25A



Luminaire: Ledil FA15480_ROSE-MRK-BW_(Luxeon_M)_2

Lamps: 1 x Luxeon_M_(LXR8-SW40)_346.747lm@250mA_P=2.78963W_I=0.25A



NOTE: The typical divergence will be changed by different color, chip size and chip position tolerance. The typical total divergence is the full angle measured where the luminous intensity is half of the peak value.